

10/748,814

INTERFERENCE SEARCH HISTORY PRINTOUT

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|--|----------|------------------|
| 1 | BRS | L1 | 0 | ((light guide) with (panel or plate or lamina or substrate)) and (((dot or point) light source) or "L1") with (flat light emitting)) same (embed\$4 or insert\$4 or capsulat\$4 or ancapsulat\$4) and adhesi\$4).clm. | US-PGPUB | 2006/03/10 12:01 |

| | Type | Hits | Search Text | DBs |
|----|------|--------|---|---|
| 1 | BRS | 486324 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | BRS | 92646 | light (guide or panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | BRS | 633 | S1 with (radial\$6 with emit\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | BRS | 99 | S2 and S3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | BRS | 5553 | 362/30,31,320,26,27,331,559-561,800,812.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | BRS | 1723 | 349/62-65,70.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | BRS | 3183 | 385/130,129,901.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | BRS | 9881 | S5 or S6 or S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | BRS | 2392 | S2 and ((recess\$4 or embed\$6 or cavity or cave or hole or aperture) with S1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS | 230 | S8 and S9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS | 12 | ("3667104" "3786499" "4138672" "4163883" "4306716" "4367467" "4504830" "4603496" "4683359" "4789224" "4818829" "4935856").PN. | US-PGPUB; USPAT; USOCR |
| 12 | BRS | 12 | ("5481440").URPN. | USPAT |
| 13 | BRS | 518 | S2 with ((recess\$4 or embed\$6 or cavity or cave or hole or aperture) with S1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | BRS | 55 | S13 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | IS&R | 8 | ((("5249104") or ("3131670") or ("3264769") or ("6315440") or ("5913594") or ("6318872") or ("6464367") or ("6151089")).PN. | USPAT |
| 16 | BRS | 5 | ("5375043" "5453855" "5921652" "5975711" "6129444").PN. | US-PGPUB; USPAT; USOCR |
| 17 | BRS | 1 | ("6315440").URPN. | USPAT |
| 18 | BRS | 8 | ("3264769").URPN. | USPAT |
| 19 | BRS | 8 | ("3264769").URPN. | USPAT |
| 20 | BRS | 9 | ("3131670").URPN. | USPAT |
| 21 | IS&R | 3 | ((("6426763") or ("6402335") or ("6425673")).PN. | USPAT |
| 22 | IS&R | 0 | ("20040141305").PN. | USPAT |
| 23 | IS&R | 1 | ("20040141305").PN. | US-PGPUB; USPAT |
| 24 | IS&R | 6 | ((("20040141305") or ("20020114149") or ("20020109804") or ("20020064043") or ("20020089840") or ("20020085368")).PN. | US-PGPUB; USPAT |
| 25 | BRS | 1032 | 362/26,27.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS | 486324 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 0 | 12and S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS | 470 | S25 and S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|----|-----|-------|--|---|
| 29 | BRS | 92646 | light (guide or panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|----|-----|-------|--|---|

| | Type | Hits | Search Text | DBs |
|----|------|---------|--|---|
| 30 | BRS | 338 | S28 and S29 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS | 2 | ("5375043" "5564819").PN. | US-PGPUB; USPAT; USOCR |
| 32 | BRS | 0 | ("5890790").URPN. | USPAT |
| 33 | BRS | 487136 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS | 5590 | 362/30,31,320,26,27,331,559-561,800,812.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS | 1731 | 349/62-65,70.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS | 3198 | 385/130,129,901.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS | 9936 | S34 or S35 or S36 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS | 3185462 | lamp or ((light source) or light) or S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS | 487202 | ((dot light source)) or S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 9866 | S39 with ((retain\$4 section) or cave or cavity or recess or embed\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 92793 | light (guide or panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS | 1081 | S40 and S41 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS | 204 | S40 with S41 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS | 49 | S40 with S41 and adhes\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 422 | S42 and adhes\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 2 | two side adhesive tap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | 11 | double sid\$4 adhesive tap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 48 | BRS | 1 | both sid\$4 adhesive tap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 49 | BRS | 0 | both surface adhesive tap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 50 | BRS | 0 | two surface adhesive tap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 51 | BRS | 18 | two surface adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 52 | BRS | 132 | both surface adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 53 | BRS | 992 | both sid\$4 adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 54 | BRS | 9147 | double sid\$4 adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 55 | BRS | 10152 | S51 or S52 or S53 or S54 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS | 173 | S55 with ((wiring or circuit) board) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 57 | BRS | 4 | S56 and S42 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|----|-----|---|-------------------|-------|
| 58 | BRS | 0 | ("6825894").URPN. | USPAT |
|----|-----|---|-------------------|-------|

| | Type | Hits | Search Text | DBs |
|----|------|--------|---|---|
| 59 | BRS | 0 | ("6825894").URPN. | USPAT |
| 60 | IS&R | 2 | ((("5453855") or ("5400160"))).PN. | USPAT |
| 61 | BRS | 0 | ("6825894").URPN. | USPAT |
| 62 | BRS | 3 | aoyagi-masayuki.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 0 | yasushi-morika.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS | 0 | yasushi-morika.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS | 2678 | 349/58,61,65.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS | 541 | 349/58,61,65.ccls. and S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 67 | BRS | 351 | S66 and S41 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 68 | IS&R | 1 | ("6392541").PN. | USPAT |
| 69 | BRS | 6 | ("3866034" "5036447" "5178454" "5337993" "5597229" "6135623").PN. | US-PGPUB; USPAT; USOCR |
| 70 | BRS | 7 | ("6392541").URPN. | USPAT |
| 71 | BRS | 6 | ("3866034" "5036447" "5178454" "5337993" "5597229" "6135623").PN. | US-PGPUB; USPAT; USOCR |
| 72 | BRS | 487136 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 73 | BRS | 92793 | light (guide or panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS | 18 | two surface adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS | 132 | both surface adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 76 | BRS | 992 | both sid\$4 adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS | 9147 | double sid\$4 adhesive tape | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS | 10152 | S74 or S75 or S76 or S77 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 79 | BRS | 3 | S79 and S73 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 80 | BRS | 26 | S72 with S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 81 | BRS | 2 | S72 with S73 with S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 82 | BRS | 78 | S73 with S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 83 | BRS | 76 | S82 not S79 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 84 | BRS | 26 | S72 with S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 85 | BRS | 3 | S84 and S73 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS | 2148 | light emit\$7 chip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 87 | BRS | 1 | S86 with S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|----|-----|---|--------------|--|
| 88 | BRS | 1 | S86 same S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|----|-----|---|--------------|--|

| | Type | Hits | Search Text | DBs |
|-----|------|--------|---|---|
| 89 | BRS | 6 | S86 and S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 90 | IS&R | 0 | ("15and6825894.pn.").PN. | USPAT |
| 91 | BRS | 0 | S86 and "6825894".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 92 | BRS | 1 | adhes\$4 and "6825894".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 93 | BRS | 0 | S86 with abut\$6 with S73 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 94 | BRS | 14 | S72 with abut\$6 with S73 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 95 | BRS | 39 | S72 same abut\$6 same S73 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 96 | BRS | 5590 | 362/30,31,320,26,27,331,559-561,800,812.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 97 | BRS | 1731 | 349/62-65,70.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 98 | BRS | 3198 | 385/130,129,901.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 99 | BRS | 9936 | S96 or S97 or S98 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 100 | BRS | 672 | S99 and abut\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 101 | BRS | 487758 | S72 or S86 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 102 | BRS | 334 | S100 and S101 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 103 | BRS | 121 | S100 and S101 and S73 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 104 | IS&R | 1 | ("6672734").PN. | USPAT |
| 105 | BRS | 4 | ("5079675" "5575549" "5664862" "5718497").PN. | US-PGPUB; USPAT; USOCR |
| 106 | BRS | 0 | ("6672734").URPN. | USPAT |
| 107 | BRS | 28 | "5664862" | USPAT |
| 108 | BRS | 6 | ("3994564" "4373282" "5390436" "5485291" "5521796" "5664862").PN. | US-PGPUB; USPAT; USOCR |
| 109 | BRS | 7 | ("6036327").URPN. | USPAT |
| 110 | IS&R | 3 | ((("5477422") or ("6672734") or ("6825894"))).PN. | USPAT |
| 111 | BRS | 512342 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 112 | BRS | 98306 | light (guide or panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 113 | BRS | 7938 | S112 with (hole or aperture or opening) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 114 | BRS | 30 | S111 with "within" with S113 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 115 | BRS | 11 | S111 with surround\$4 with S113 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 116 | BRS | 9 | ("4206501" "4267489" "4502761" "4673254" "4729068" "4803399" "4975808" "4998804" "5057974").PN. | US-PGPUB; USPAT; USOCR |
| 117 | BRS | 8 | ("5477422").URPN. | USPAT |

| | | | | |
|-----|-----|-----|---|---|
| 118 | BRS | 495 | S112 with ((hole or aperture or opening) with S111) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|-----|---|---|

| | Type | Hits | Search Text | DBs |
|-----|------|--------|---|--|
| 119 | BRS | 375 | S118 and @ad < "20021227" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 120 | IS&R | 1 | ("4714983").PN. | USPAT |
| 121 | BRS | 5 | ("4096550" "4126383" "4310871" "4487481" "4573766").PN. | US-PGPUB; USPAT; USOCR |
| 122 | BRS | 86 | ("4714983").URPN. | USPAT |
| 123 | IS&R | 2 | ((("4096550") or ("6755547"))).PN. | USPAT |
| 124 | BRS | 53 | ("3043947" "3328570" "3752974" "3892959" "3958113" "4043636" "4257084" "4446508" "4573766" "4630895" "4714983" "4729185" "4751615" "4765701" "4974122" "4975808" "4978952" "5005108" "5027258" "5070431" "5093765" "5134549" "5136483" "5207493" "5262928" "5283673" "5303322" "5339179" "5349503" "5375043" "5377084" "5390085" "5394308" "5396350" "5442523" "5467208" "5467417" "5485291" "5506929" "5579134" "5598281" "5613751" "5618095" "5664862" "5671994" "5719649" "5771328" "5775791" "5779338" "5808784" "6129439").PN. | US-PGPUB; USPAT; USOCR |
| 125 | BRS | 0 | ("6755547").URPN. | USPAT |
| 126 | BRS | 2 | ("3994564" "4011001").PN. | US-PGPUB; USPAT; USOCR |
| 127 | BRS | 14 | ("4096550").URPN. | USPAT |
| 128 | BRS | 0 | JP-20011093320-\$.DID. | JPO; DERWENT |
| 129 | BRS | 0 | JP-20011093320-\$.did. | JPO; DERWENT |
| 130 | BRS | 3 | ("4096550" or "4714983" or "6755547").pn. | USPAT |
| 131 | BRS | 2 | S130 and adhes\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 132 | BRS | 98306 | light (guide or panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 133 | BRS | 164 | S132 with (light source) with adhes\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 134 | BRS | 136 | S133 and @ad < "20021227" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 135 | BRS | 21 | S132 with (light source surface) with adhes\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 136 | BRS | 512342 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 137 | BRS | 919354 | S136 or (light source) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 138 | BRS | 37 | (S132 with (cavity or aperture or hole)) with surround\$4 with S137 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 139 | BRS | 8 | S138 and adhes\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 140 | BRS | 0 | S132 with ((entrance ir inciden\$5) (face or surface)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 141 | BRS | 2037 | S132 with ((entrance or inciden\$5) (face or surface)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 142 | BRS | 27 | S141 with surround\$4 with S137 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|-----|-----|----|-------------------|--|
| 143 | BRS | 10 | S142 and adhes\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|----|-------------------|--|

| | Type | Hits | Search Text | DBs |
|-----|------|--------|---|--|
| 144 | BRS | 19 | S142 and @ad < "20021227" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 145 | BRS | 13 | S144 not S143 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 146 | BRS | 1536 | (S132 with (cavity or aperture or hole)) with S137 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 147 | BRS | 300 | (S132 with (cavity or aperture or hole)) with S137 and adhes\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 148 | BRS | 236 | S147 and @ad < "20021227" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 149 | BRS | 2 | ("5136483" or "4229783" or "3958113" or "4729185").pn. and adhes\$5 | USPAT |
| 150 | BRS | 2 | "748814".ap. | US-PGPUB |
| 151 | IS&R | 1 | ("4096550").PN. | USPAT |
| 152 | BRS | 1734 | 362/26,27,30,608,609,610,612,621,628.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 153 | BRS | 726 | S152 and S136 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 154 | BRS | 582 | S153 and @ad < "20021227" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 155 | BRS | 1171 | 362/600,613,615,616,617,618,625,631,545,627.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 156 | BRS | 1816 | 349/62-65,70.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 157 | BRS | 3431 | 385/129,130,901.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 158 | BRS | 6189 | S155 or S156 or S157 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 159 | BRS | 0 | 32and @ad < "20021227" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 160 | BRS | 5224 | S158 and @ad < "20021227" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 161 | BRS | 63 | S138 or S142 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 162 | BRS | 4 | S160 and S161 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 163 | BRS | 4019 | (S132 with (cavity or aperture or hole)) and S137 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 164 | BRS | 151 | S160 and S163 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 165 | BRS | 542076 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 166 | BRS | 19042 | (light guide) with (panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 167 | BRS | 753 | S165 with (flat with light with emit\$5 with surface) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 168 | BRS | 51 | S166 and S167 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 169 | BRS | 789 | S165 with (flat surface) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 170 | BRS | 7191 | S165 with flat | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 171 | BRS | 7191 | S169 or S170 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|-------|--|---|
| 172 | BRS | 198 | S171 with (embed\$4 or insert\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 173 | BRS | 4 | S172 and S166 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 174 | BRS | 29 | S169 and S166 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 175 | BRS | 0 | ("2005/0174803").URPN. | USPAT |
| 176 | BRS | 6921 | "15" and S166 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 177 | BRS | 2 | S176 and S166 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 178 | BRS | 15 | S165 with (flat light emit\$5 surface) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 179 | IS&R | 8 | ((("6998281") or ("5481440") or ("4096550") or ("5477422") or ("5249104") or ("6315440") or ("6825894") or ("5883684"))).PN. | USPAT |
| 180 | BRS | 1 | ("6825894").URPN. | USPAT |
| 181 | BRS | 9 | ("5375043" "5453855" "5921652" "5975711" "6129444").PN. OR ("6315440").URPN. | US-PGPUB; USPAT; USOCR |
| 182 | BRS | 1 | ("6825894").URPN. | USPAT |
| 183 | BRS | 9 | ("5375043" "5453855" "5921652" "5975711" "6129444").PN. OR ("6315440").URPN. | US-PGPUB; USPAT; USOCR |
| 184 | BRS | 27 | ("3864905" "4043636" "4573766" "4630895" "4915478" "5262928" "5378298" "5392199" "5461547" "5513288" "5600455" "5666172").PN. OR ("5883684").URPN. | US-PGPUB; USPAT; USOCR |
| 185 | BRS | 25 | ("3667104" "3786499" "4138672" "4163883" "4306716" "4367467" "4504830" "4603496" "4683359" "4789224" "4818829" "4935856").PN. OR ("5481440").URPN. | US-PGPUB; USPAT; USOCR |
| 186 | BRS | 17 | ("3994564" "4011001").PN. OR ("4096550").URPN. | US-PGPUB; USPAT; USOCR |
| 187 | BRS | 94 | ("4096550" "4126383" "4310871" "4487481" "4573766").PN. OR ("4714983").URPN. | US-PGPUB; USPAT; USOCR |
| 188 | BRS | 22 | ("3780357" "3883772" "4257084" "4528617" "4698730" "4714983" "4845595" "4929062" "4959759" "5008788").PN. OR ("5404277").URPN. | US-PGPUB; USPAT; USOCR |
| 189 | BRS | 1 | ("6825894").URPN. | USPAT |
| 190 | BRS | 17 | ("4206501" "4267489" "4502761" "4673254" "4729068" "4803399" "4975808" "4998804" "5057974").PN. OR ("5477422").URPN. | US-PGPUB; USPAT; USOCR |
| 191 | BRS | 23 | ("3491245" "4229783" "4321655" "4903171" "4965950" "4977695" "5046826" "5057974").PN. OR ("5249104").URPN. | US-PGPUB; USPAT; USOCR |
| 192 | BRS | 14195 | S165 with (embed\$4 or insert\$4 or capsulat\$4 or ancapsulat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|-----|-----|-----|--|--|
| 193 | BRS | 261 | S165 with (embed\$4 or insert\$4 or capsulat\$4 or ancapsulat\$4) and S166 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|-----|--|--|

| | Type | Hits | Search Text | DBs |
|-----|------|---------|--|--|
| 194 | BRS | 17 | ("3898585" "4576436" "4618212" "4986624" "5349602" "5390085" "5546888" "5630004" "5698860" "5771321" "5874901" "5966493").PN. OR ("6172356").URPN. | US-PGPUB; USPAT; USOCR |
| 195 | IS&R | 1 | ("6734953").PN. | USPAT |
| 196 | BRS | 1 | "20030117792" | US-PGPUB |
| 197 | BRS | 16489 | Yoneda-\$in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 198 | BRS | 17 | Yoneda-\$in. and S165 and S166 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 199 | BRS | 1 | ("6825894").URPN. | USPAT |
| 200 | BRS | 17 | ("3994564" "4011001").PN. OR ("4096550").URPN. | US-PGPUB; USPAT; USOCR |
| 201 | BRS | 89 | ("4714983").URPN. | USPAT |
| 202 | BRS | 5 | ("4096550" "4126383" "4310871" "4487481" "4573766").PN. | US-PGPUB; USPAT; USOCR |
| 203 | BRS | 94 | ("4096550" "4126383" "4310871" "4487481" "4573766").PN. OR ("4714983").URPN. | US-PGPUB; USPAT; USOCR |
| 204 | BRS | 542076 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 205 | BRS | 17 | S205 and adhes\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 206 | BRS | 55 | (flat light emitting) with S204 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 207 | BRS | 36 | 362/634.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 208 | BRS | 365 | 362/608-610,612,621.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 209 | BRS | 3153408 | (embed\$4 or insert\$4 or capsulat\$4 or ancapsulat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 210 | BRS | 2429 | 362/26,27,30,545,600,613,615-618,625,628.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 211 | BRS | 1903 | 349/62-65,70.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 212 | BRS | 3594 | 385/129,130,901.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 213 | BRS | 7552 | S210 or S211 or S212 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 214 | BRS | 104883 | light (guide or panel or plate or lamina or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 215 | BRS | 153 | S213 and (S204 same S209) and S214 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 216 | BRS | 542076 | (light emit\$7 diod\$4) or "LED" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |